




PHB10 CCT LINEAR HIGH BAY

Project: _____ Type: _____

Name: _____ Date: _____



255W/275W/320W	255W 33,150-35,700lm	275W 35,750-38,500lm	320W 41,600-44,800lm
-----------------------	--------------------------------	--------------------------------	--------------------------------

Size	see dimensions	CCT	4000K - 5000K
Voltage	120-277V	IP Rating	IP20
Dimming	0-10V	Materials	Iron, Aluminum
Beam Angle	90°	Finish	White
CRI	>80	Lens	Frosted
PF	≥ 0.9	Lifespan	50,000 Hours

OVERVIEW

CCT: 4000K - 5000K
Applications: IP20
Efficacy: 130-140lm/W
Dimming: 0-10V
LED Type: Lumileds 2835
Lens Type: Frosted
Driver: LF-FAA320
Operating Temp:
 -40F° to 122F° without motion sensor or emergency driver
 -22F° to 122F° with motion sensor
 32F° to 122F° with emergency backup
Operating Humidity: 20% - 90%RH
Lifespan: 50,000 Hours
Warranty: 5 Years


FEATURES

- Bright light with up to 320W and up to 44,800lm
- Comes with chain mounts and pre-installed motion sensor base





PHOTOMETRICS:



Illuminance at a Distance

	Center Beam fc	Beam Width	
4.3R	1,120 fc	8.8 ft	8.7 ft
8.7R	274 fc	17.9 ft	17.7 ft
13.0R	122 fc	26.7 ft	26.4 ft
17.3R	69.2 fc	35.6 ft	35.1 ft
21.7R	44.0 fc	44.6 ft	44.0 ft
26.0R	30.6 fc	53.5 ft	52.8 ft

- Vert. Spread: 91.6°
- Horiz. Spread: 90.8°




PHB10 | CCT LINEAR HIGH BAY

Project: _____ Type: _____

Name: _____ Date: _____

DIMENSIONS:





PHB10 | CCT LINEAR HIGH BAY

Project: _____ Type: _____

Name: _____ Date: _____

ORDER FORM:

(*) Special Order/Not Commonly Stocked

Custom Model Assembly

Fixture

PHB10

CCT

Tunable

Watts

255W-275W-320W

Voltage

120-277V

SES-PHB10-CCT-HW
Example Model Number

SES – PHB10 – Tunable –

–120-277V

Quantity

Fixture

CCT

Wattage Adjustable

Voltage

Common Stock Models:

Item #	Model #
11351	SES-PHB10-CCT-HW

Optional Accessories:

Item #	Model #	QTY:
11115-A	HB01DMS	
11345-C	SES-REMOTE-CONTROLLER	
11348-A	YH36A-16WL-300	
11350-A	SES-PHB10-LW-PENDANT	
11350-B	SES-PHB10-LW-GUARD	


Item #	Model #	QTY:
11350-C	SES-PHB10-LW-SURFACE	
11350-D	SES-PHB10-CHAIN	
11351-A	SES-PHB10-HW-PENDANT	
11351-B	SES-PHB10-HW-GUARD	
11351-C	SES-PHB10-SURFACE	



Surface Mount



Pendant Mount



Wire Guard



Chain